CENTRAL INTELLIGENCE AGENCY

13 April 1964

MEMORANDUM FOR: Holders of Estimate of the Chinese Communist Air Threat to India," dated 17 January 1963

25X1X7

25X1X7

- 1. Attached are revisions of the appendices to the above estimate designed to provide up-to-date information on Chinese Communist air order of battle.
- 2. The conclusions of the estimate (paragraphs 33-38)

 remain basically valid. The entire matter of the Chinese

 Communist threat to India is currently under review, including

 the papers Estimate of the Chinese Communist Ground

 Threat to India from Tibet and Sinkiang" and Estimate 25X1X7

 of Chinese Communist Capabilities for Attacking India Through

 Burmese Territory," both dated 14 August 1963.

GROUP 1
Excluded from automatic downgrading and

APPENDIX A

CCAF/CCNAF AIR ORDER OF RATTLE*

CCAF

	1	7 Jan 19	<u>a</u> /	15 Apri	a/
TYPE OF AIRCRAFT		0.	Total	No.	Total
Fagot (MIG.15) Fresco (MIG.17) Fresco D (MIG. 17D) Farmer (MIG.19)	Jet Ftr (Pay) Jet Ftr (Day) Jet Ftr (LAW) ^C / Jet Frt (Day)	690 785 145 60	1,680	<u>b/</u> 565 780 145 801/	1,570
Beast (IL.10)	Piston Ftr Grnd Atk	40	40	60±/	
Fagot (MIG.15)	Jet Grnd Atk		<u>f</u> /	30₹	90
Bat (TU.2) Beagle (IL.28) Bull (TU.4) Badger (TU.16)	Piston Lt Bmr Jet Lt Bm Piston Med Bmr Jet Med Bmr	100 175 15	290	90 <u>h/</u> 160 <u>h</u> / 15 2 <u>i/</u> /	267
C46/C47 Cab Coach Colt Coot	Transport Transport Transport Transport Transport Transport	30 35 35 25 2 45		30 35 30 95 <u>1</u> / 2 47	
Viscount	Transport		172		240
Hound TOTAL	Helicopter		2,182	20 1/	20 2,187
CCNAF					
Fagot Fresco Fresco D	Jet Ftr (Day) Jet Ftr (Day) Jet Ftr LAW)c/	170 70 30	270	200 ^m / 55 30	285

^{*} This Appendix supersedes old Appendix A.

Bat Beagle	Piston Lt Emr Jet Lt Emr	5 150	155	5 130 <u>h</u> /	135
Cab Colt Crate	Transport Transport Transport	15 5 5	25	15 30 <u>n</u> / 5	50
Madge TOTAL	Reconnaissance	10	10 460	5 <u>h</u> /	5 475
COMBINED CCA	F/CCNAF TOTAL		2,6720/		2,662

<u>a</u> /	Figures rounded to nearest	five	except	for	the	BADGERS,	COOTS,
- 1	CRATES and the Viscount.						

b/ Reduction due to attrition; also some may have been transferred to the CCNAF.

January 1963.

f/

25X1X7

Reference to 30 MIG.15 (FAGCTS), as being specially trained in ground attack, was carried in a footnote to Appendix A in the study dated 17 January 1963 and was not included in the

g/ A unit of 30 MIG.15 (FAGOTS) continues to be specially trained in ground attack, All FAGOT/FRESCO aircraft, however, are adaptable to ground attack operations.

Reduction due to attrition.

Although these BADGERS may participate in training activity, we do not believe they are capable of conducting combat operations.

Increase due to domestic production.

We believe that one of the Viscounts purchased from the UK has

been assigned to the CCAF.

Although HOUNDS probably have been produced within China for several years, our first confirmed evidence of utilization within the CCAF has come within the past year.

Earlier strength underestimated; it is also possible that some of these aircraft have been transferred from the CCAF.

Increase due to domestic production.

This total adjusted to include the 30 ground attack FAGOTS. See Footnote "f" above.

- 3 -

Limited all weather fighter.

We do not believe that there has been an increase in FARMERS during the past year. Rather, we believe that our earlier estimate of 60 should have been 80.

We beleive that BEAST strength was underestimated by 20 in

REVISIONS TO APPENDIX B

AIRCRAFT PERFORMANCE REVISIONS

25X1X7

The following information reflects the more important changes in estimated aircraft performance characteristics from those provided in Appendiz B to the Air Threat Study dated 17 January 1963.

- 1. Change FRESCO A and B maximum knots at sea level (intercept mission and ground attack) from 570 to 605. Change FRESCO C maximum knots at sea level (intercept mission and ground attack) from 570 to 620. Change FRESCO D maximum knots at seal level (intercept mission) from 570 to 620.
- 2. Change FARMER A, C, and D maximum knots at sea level (ground attack) from $\underline{570}$ to $\underline{650}$.
 - 3. Change BEAGLE information as follows:

Bomb Wt. 1bs.	All-up Wt. 1bs.	Maximum Kts	Combat Radius N.M.
		Old - New	Old - New
6,600	51,000	425 - 480	600 - 550
4,400	48,800	430 - 480	610 - 560
2,200	46,600	435 - 485	620 - 570
2,200	40,500	445 - 490	400 - 310

4. Change BADGER information as follows (assuming a 10,000 lb. bomb load):

	All-up lbs.	Max. Kts.	Cruise Kts.	Radius NM
Old - New	Old - New		Old New	
75,500-71,400	170,000-167,000	490 - 540	465 - 445	1,700-1,450

Also, delete the statement that the RAPGER can carry a maximum bomb load of 22,000 lbs. with a reduced radius of 1,300 nm.

5. Change CRATE information as follows:

FUEL Wt. 1bs.	Freight lbs.	Range N.M.
Old - New	Old - New	Old - New
5,5 00 - 5,550	4,600 - 4,750	1.400 - 1.600
1,600 - 2,300	8,500 - 8,100	400 - 500

^{*} These changes revise certain portions of old A appendix B.

6. Change COOT information as follows:

ruel Wt. lbs. Old - New	Freight 1bs. Old - New	Range N.M. Old - New
40,200 - No change 31,200 - 30,200	22,000 - 23,000 31,000 - 33,000	2,500 - 2,600 1,600 - 2,100
7. Change COLT information	as follows:	
Freight 1bs. Old - New	All-up Wt. 1bs.	Range N.M. Old - New
2,7000 - 3,000	11,500 - 12,700	485 - 855

Delete second line item on the COLT in its entirety.

APPENDIX D

AIRFIELDS IN TIBET AND WESTERN CHINA

The following is a revised summary of airfields in China which are most likenly to be used for operations against India.

39°31'N 75°58'E	KASHGAR/ZANG KARAVUL	4,000 feet, packed gravel. (4,000 feet a.m.s.l.) serviceable.
38°25'N 77°17'E	SOCHE (YARKAND)	3,800 feet, natural surfacing. (4,400 feet a.m.s.l.) serviceable.
37009'N 79052'E	HOTIEN (KHOTAN)	5,000 feet, packed gravel. (3,000 feet a.m.s.l.) serviceable.
30°30'N 91°06'E	LHASA (TANG-HBIUNG)	13,000 feet, macadam. (14,177 feet a.m.s.l.) serviceable.
31°33'N 91°44'E	NAGCHHU DZONG	12,000 feet (est.) claybound crushed rock. (15,000 feet a.m.s.l.) temporarily unserviceable.
36 °45'N 95 °35'E	KA-ERH-MU (GOIMO)	12,000 feet, macadam. (9,000 feet a.m.s.l.) serviceable.
32°53'N 96°47'E	YUSHU	11,200 feet, claybound crushed rock. (12,525 feet a.m.s.l.) serviceable.
31°37'N 100°02'E	KANTZU	11,000 feet, claybound crushed rock. (11,500 feet a.m.s.l.) serviceable.
30°43'N 103°57'E	CHENGTU/WENCHIAN	7,500 feet, concrete. (1,700 feet a.m.s.l.) serviceable.

^{*} This Appendix supersedes old A appendix D in its entirety.

		APPENDIX D
25°27'N 100°44'E	PEITUN	7,800 feet, concrete. (6,500 feet a.m.s.l.) serviceable
25 ⁰ 00'N 102 ⁰ 45'e	KINMING	9,800 feet, concrete. (6,220 feet a.m.s.l.) serviceable.
23°24'N 103°19'E	MENGTZU WEST	7,900 feet, concrete. (4,700 feet a.m.s.l.) serviceable.